



## Snorkel TB85JFA

Platform	Machine Dimensions	Performance
Height.....84'11" ( 25.9 m)	Stowed Length.....42'2" (12.85 m)	Power Source.....Gas or Diesel
Size.....30" x 96" (76 cm x 244 cm)	Stowed Height.....9'8" (2.9 m)	Fuel Capacity.....54 gal (204 L)
Capacity.....500 lbs (227 kg)	Wheelbase.....10' (3 m)	Hydraulic Capacity.....65 gal (246 L)
Construction.....Aluminum	Width.....8'6" (2.6 m)	Drive Speed
	Ground Clearance.....13" (33 cm)	Elevated.....0.6 mph (0.9 km/h)
	Weight.....37,600 lbs (17,100 kg)	Stowed.....3 mph (4.8 km/h)
	Tire Size.....15 x 625 (16 ply rating)	Gradeability (Theoretical).....45%
		Horizontal Reach.....76'8" (23.4 m)



### Standard Features

- 360 degree continuous turntable rotation
- Prop. drive, lift, swing & extend
- Engine anti-restart
- Tie down lugs
- 170 degree hydraulic Platform rotation
- 12 volt emergency operated power
- Manual bleed down valve
- Hydraulic oil level/temp gauges
- Foam filled tires
- Driveable at full height
- Tilt alarm
- 110 volt GFCI AC outlet
- Aluminum upper booms
- Hour meter
- High engine temp/low oil pressure shut down
- Lifting lugs
- Operator Horn
- Four wheel steer
- Four wheel drive

### Options

- Platform control box cover
- Flashing light on boom
- Sandblast protection kit
- Driving lights
- Dual Fuel
- Platform work lights
- Spark arrestor muffler
- Cold weather start kit
- Hydraulic Sys. Cold weather Warm-up Kit
- Swinging gate
- Drive motion alarm
- Tow kit
- Airline to Platform
- AC Generator
- Platform – 63" x 33" (1.6 x 0.8 m) Steel 500 lb Cap. (227 kg)
- Platform – 59" x 30" (1.5 x 0.8 m) Aluminum 600 lb Cap. (272 kg)

**DANGER:** Models described in this brochure are NON-INSULATED and do not provide electrocution protection from contact with or close proximity to energized conductors which is pointed out on decals and placards attached to the machine. Only qualified and trained operators are to be authorized to use and operate a work platform. Aerial work platforms must be elevated only on firm, level surface. Products in this brochure comply with applicable ANSI Standards. This literature is for illustrative purposes only. Consult Operating Maintenance and Parts Manuals for proper procedures. Specifications may vary and are subject to change without notice or obligation.

**Manufacturing Plant**  
 2009 Roseport Road  
 Elwood, Kansas 66024  
 800-255-0317  
 785-989-3000

**Australia**  
 26 Redfern Road  
 Wetheril Park NSW  
 2164 Australia  
 (02) 9725 4000